

ITEM: 2911 DESCRIPTION: !! DISPEL B71

SECTION I - IDENTITY

Manufacturer Data:

ATCO MANUFACTURING COMPANY
1400 BARCLAY CIRCLE
MARIETTA, GA 30060

Emergency Phone: 404-424-7550
Information Phone: 404-424-7550
Date Prepared: 4/02/93
Preparer:

STACEY

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Components:	OSHA PEL	ACGIH TLV	Other Limits	%
1,1,1 TRICHLORDETHANE 71-55-6	350	350		73.0
BUTYL CELLOSOLVE 111-76-2	25	25		2.0
MINERAL OIL 64742-65-0	N/D	N/D		
PROPELLANT CARBON DIOXIDE 124-38-9	N/A	N/A		

HMIS SYMBOLS: HEALTH 2; FLAMMABILITY 0; REACTIVITY 1

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/D Specific Gravity: 1.186
Vapor Pressure: 90 Melting Point: N/A
Vapor Density: N/D Evaporation Rate: N/A
Solubility in Water: SLIGHT
Appearance and Odor: CLEAR YELLOWISH LIQUID WITH MILD SWEETISH ODOR.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: NONE UP TO 200F T. O. C.
Flammable Limits: Upper- N/A Lower- N/A
Extinguishing Media:
FOAM, DRY CHEMICAL, CARBON DIOXIDE
Special Fire Fighting Procedures:
KEEP CONTAINERS COOL. USE EQUIPMENT OR SHIELDING REQUIRED TO PROTECT
PERSONEL AGAINST BURSTING, RUPTURING, OR VENTING CONTAINERS.
Unusual Fire and Explosion Hazards:
AT ELEVATED TEMPERATURES (ABOVE 120 F) CONTAINERS MAY VENT, RUPTURE, OR
BURST.

SECTION V - REACTIVITY DATA

ITEM: 2911 DESCRIPTION: !! DISPEL B71

SECTION V - REACTIVITY DATA

Stability: STABLE

Conditions to Avoid: DO NOT EXPOSE TO TEMPERATURES ABOVE 120 F.

Incompatibility: (Materials to Avoid):

STRONG ALKALIES, OXIDIZERS, ALUMINUM, AND OTHER REACTIVE METALS.

Hazardous Decomposition or Byproducts:

ABNORMALLY HIGH TEMPERATURES POSSIBLE TRACE AMOUNTS OF PHOSGENE.

Hazardous Polymerization:

Conditions to Avoid: NONE

SECTION VI - HEALTH HAZARD DATA

Routes of Entry: Inhalation- Y

Skin- Y

Ingestion- N

Health Hazards (Acute and Chronic):

SEE SECTION II

Carcinogenicity: NTP?
NO

IARC MONOGRAPHS?
NO

OSHA Regulated?
NO

Signs and Symptoms of Exposure:

INHAL: IRRITATION, DIZZINESS, NAUSEA. SKIN: MODERATE IRRITATION, DERMITITIS.

INGEST: VOMITING, DIARRHEA. EYES: REDNESS, TEARING, BLURRED VISION.

Medical Conditions Generally Aggravated By Exposure:

N/A

Emergency First Aid Procedures:

EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP & WATER. INHAL: REMOVE TO FRESH AIR. INGEST: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Spilled Or Released:

CLEAN UP AREA BY MOPPING OR WITH ABSORBENT MATERIALS AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL.

Waste Disposal Method:

WHEN USED PROPERLY, AEROSOL PRODUCTS DO NOT GENERATE HAZARDOUS WASTE.

CONSULT FEDERAL, STATE, AND LOCAL REGULATIONS.

Precautions To Be Taken In Handling and Storing:

DO NOT STORE AT TEMPERATURES ABOVE 120 F.

Other Precautions:

READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL.

SECTION VIII - CONTROL MEASURES

Type Of Respiratory Protection:

IF CONCENTRATION EXCEEDS 100PPM SELF CONTAINED BREATHING APPARATUS.

Ventilation: Local Exhaust- MAINTAIN BELOW TLV

ITEM: 2911

DESCRIPTION: !! DISPEL B71

SECTION VIII - CONTROL MEASURES

Ventilation: Mechanical- SUFFICIENT
Ventilation: Special- NONE
Ventilation: Other- NONE
Protective Gloves: CHEMICAL RESISTANT
Eye Protection: SAFETY GLASSES/SPLASH GOGGLES
Other Protective Clothing Or Equipment:
NONE
Work/Hygienic Practices:
STANDARD INDUSTRIAL PRACTICES