



MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. 10X 277
DAYTON, OHIC 45401-0277

MSDS NO: DAP / 10405
INTERNAL ID: 10405
DAP VINYL SPACKLING
(INTERIOR)
REVISION: 6
DATE: OCTOBER 13, 1992

NATIONAL PAINT AND COATINGS ASSOCIATION HAZARDOUS MATERIAL IDENTIFICATION SYSTEM	HEALTH HAZARD	1 - SLIGHT
	FLAMMABILITY HAZARD	0 - MINIMAL
	REACTIVITY HAZARD	0 - MINIMAL
	PERSONAL PROTECTION	B - GLASSES, GLOVES

SECTION I. MATERIAL IDENTIFICATION

TRADE/MATERIAL NAME: DAP VINYL SPACKLING (INTERIOR)

DESCRIPTION: SPACKLING COMPOUND

CAS: MIXTURE

PREVIOUS MSDS REVISION DATE: FEBRUARY 3, 1992

SHIPPING NAME (49 CFR 172.101): NA
D.O.T. HAZARD CLASS (49 CFR 172.101): NA
D.O.T. ID NO. (49 CFR 172.101): NA
D.O.T. LABEL REQUIRED (49 CFR 172.101): NA
EPA WASTE CODE - IF DISCARDED (40 CFR 261): NONE

MANUFACTURER: DAP INC. P.O. BOX 277 DAYTON, OH 45401
PHONE: 24 HOUR EMERGENCY PHONE#: 1-800-543-3840 IN OHIO: 1-513-667-4461

SECTION II. INGREDIENTS AND HAZARDS

INGREDIENT NAME: PERCENT: EXPOSURE LIMITS:

ALL INGREDIENTS ARE NOT REGULATED BY OSHA AND ARE CONSIDERED TRADE SECRETS.

SECTION III. PHYSICAL DATA

APPEARANCE & ODOR: OPAQUE PASTE WITH A MILD ODOR

BOILING POINT: 212F(WATER) EVAPORATION RATE: (N-BUTYL ACETATE=1): <1
VAPOR PRESSURE: 17.5 @ 20C SPECIFIC GRAVITY (H2O=1): 1.89
WATER SOLUBILITY (%): SOLUBLE % VOLATILE BY VOLUME: 20-30
VAPOR DENSITY (AIR=1): < 1

VOC LESS WATER LESS EXEMPT SOLVENT: 0 G/LITER
VOC MATERIAL: 0 G/LITER



2/3

MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OHIO 45401-0277

MSDS NO: DAP / 10405
INTERNAL ID: 10405
DAP VINYL SPACKLING
(INTERIOR)
REVISION: 6
DATE: OCTOBER 13, 1992

SECTION IV. FIRE AND EXPLOSION DATA

FLASH POINT (METHOD): (C.C.) >200F LIMITS: LEL %: NE UEL %: NE
EXTINGUISHING MEDIA: FOAM, CARBON DIOXIDE, DRY CHEMICALS
UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN
SPECIAL FIRE-FIGHTING PROCEDURES: USE WATER SPRAY TO COOL EXPOSED SURFACES

SECTION V. REACTIVITY DATA

MATERIAL IS STABLE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.
CHEMICAL INCOMPATIBILITIES: STRONG OXIDIZERS AND CAUSTICS.
CONDITIONS TO AVOID: EXCESSIVE HEAT AND FREEZING.
HAZARDOUS DECOMPOSITION PRODUCTS: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX.

SECTION VI. HEALTH HAZARD INFORMATION

THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY THE NTP, IARC, OR OSHA.

MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: NONE KNOWN
PRIMARY ENTRY ROUTE(S): SKIN CONTACT. INHALATION OF DUST IF DRY SANDED.
ACUTE EFFECTS: IF DRY SANDED, EXPOSURE TO DUST MAY RESULT IN BUILD-UP OF MATERIAL IN EYES, EARS, NOSE AND MOUTH WHICH MAY CAUSE IRRITATION.
CHRONIC EFFECT(S): INHALATION OF DUST (AS A RESULT OF DRY SANDING) MAY RESULT IN PULMONARY AND RESPIRATORY DAMAGE.

FIRST AID:

EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
CONTACT A PHYSICIAN.

SKIN CONTACT: WASH WITH SOAP AND WATER.

INHALATION: REMOVE TO FRESH AIR CONTACT A PHYSICIAN IMMEDIATELY.

INGESTION: DO NOT INDUCE VOMITING. IF IRRITATION OR COMPLAINTS ARISE, CONTACT A PHYSICIAN IMMEDIATELY.



MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OHIO 45401-0277

MSDS NO: DAP / 10405
INTERNAL ID: 10405
DAP VINYL SPACKLING
(INTERIOR
REVISION: 5
DATE: OCTOBER 13, 1992

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

SPILL / LEAK PROCEDURES: SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.

WASTE MANAGEMENT / DISPOSAL: THIS PRODUCT IS NON-HAZARDOUS ACCORDING TO U.S.EPA'S HAZARDOUS WASTE MANAGEMENT REGULATIONS, 40 CFR SECTION 261. DO NOT REUSE EMPTY CONTAINER.

SECTION VIII. SPECIAL PROTECTION INFORMATION

PERSONAL PROTECTIVE EQUIPMENT:

GOGGLES: SAFETY GLASSES WITH SIDE SHIELDS RECOMMENDED.

GLOVES: RECOMMENDED FOR REPEATED OR PROLONGED CONTACT WITH SKIN.

RESPIRATOR: NOT REQUIRED UNDER NORMAL USE AND WITH ADEQUATE VENTILATION. SEE VENTILATION SECTION BELOW.

WORKPLACE CONSIDERATIONS:

VENTILATION: NORMAL ROOM VENTILATION.

SAFETY STATIONS:
NOT REQUIRED.

CONTAMINATED EQUIPMENT:
WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION IX. SPECIAL PRECAUTIONS

STORAGE SEGREGATION: STORE AWAY FROM CAUSTICS AND OXIDIZERS.

SPECIAL HANDLING / STORAGE: KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

DOT CLASS: SEE SECTION I

UN REGISTER: SEE SECTION I

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE IF THEY ARE APPROPRIATE.